· Note: 09/846,884 is co-pending app. of 09/846,896. The search for app. 09/846,896 is also used for 09/849,884

| (At ab | P. 051 | 840,636 (5 0050 Wiscer 101 | 03/01/ | 2007 |
|-------------|--------|---|---|---------------------|
| L Number | Hits | Search Text | DB | Time stamp |
| - | 3524 | 719/310,312-316,318-320,328,330.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/22 13:22 |
| _ | 85 | 719/310,312-316,318-320,328,330.ccls. and (element\$1 with (GUI\$1 (user adjinterface\$1)) with (component\$1 object\$1) and ((component\$1 object\$1) with (application\$1 server\$1)) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/15 13:48 |
| | 47 | (719/310,312-316,318-320,328,330.ccls. and (element\$1 with (GUI\$1 (user adj interface\$1)) with (component\$1 object\$1)) and ((component\$1 object\$1) with (application\$1 server\$1))) and (property properties) and value\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/15 13:16 |
| - | 51 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/15 |
| _ | 404 | <pre>(element\$1 with (GUI\$1 (user adj interface\$1)) with (component\$1 object\$1)) and ((component\$1 object\$1) with (application\$1 server\$1)) and ((component\$1 object\$1) near5 (property properties))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 15:46 |
| - | 92 | <pre>((element\$1 with (GUI\$1 (user adj interface\$1)) with (component\$1 object\$1)) and ((component\$1 object\$1) with (application\$1 server\$1)) and ((component\$1 object\$1) near5 (property properties))) and ((component\$1 object\$1 property properties) near3 path\$1)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/15 14:18 |
| | 4 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/15 14:19 |
| - | 6 | <pre>(((element\$1 with (GUI\$1 (user adj interface\$1)) with (component\$1 object\$1)) and ((component\$1 object\$1) with (application\$1 server\$1)) and ((component\$1 object\$1) near5 (property properties))) and ((component\$1 object\$1 property properties) near3 path\$1)) and 717/\$.ccls.</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/15 14:25 |
| _ | 5 | <pre>(((element\$1 with (GUI\$1 (user adj interface\$1)) with (component\$1 object\$1)) and ((component\$1 object\$1) with (application\$1 server\$1)) and ((component\$1 object\$1) near5 (property properties))) and ((component\$1 object\$1 property properties) near3 path\$1)) and 709/\$.ccls.</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/15 |
| | . 16 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/15 14:29 |

| - | 5 | 719/310,312-316,318-320,328,330.ccls. and | USPAT; | 2004/09/15 |
|--------------|-------|---|-----------------------|------------|
| | | (element\$1 with (GUI\$1 (user adj | US-PGPUB; | 14:45 |
| | | interface\$1)) with (component\$1 | EPO; JPO; | |
| | | object\$1)) and ((property properties | DERWENT; | |
| | | object) adj3 path\$1) | IBM_TDB | |
| - | 7 | 717/\$.ccls. and (element\$1 with (GUI\$1 | USPAT; | 2004/09/15 |
| | | (user adj interface\$1)) with (component\$1 | US-PGPUB; | 14:46 |
| | | object\$1)) and ((property properties | EPO; JPO; | |
| | | object) adj3 path\$1) | DERWENT; | |
| | 1 | 0.45 /4 2 3 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | IBM_TDB | , , , _ |
| - | 17 | 345/\$.ccls. and (element\$1 with (GUI\$1 | USPAT; | 2004/09/15 |
| | | (user adj interface\$1)) with (component\$1 | US-PGPUB; | 14:50 |
| | 1 | object\$1)) and ((property properties | EPO; JPO; | |
| | | object) adj3 path\$1) | DERWENT; | |
| | 216 | // | IBM_TDB | 2004/00/16 |
| - | 216 | ((property properties) adj path\$1) | USPAT; | 2004/09/16 |
| | | | US-PGPUB; | 17:16 |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| 1_ | 155 | (((nroperty properties) add mathe(1)) and | USPAT; | 2004/09/16 |
| - | 133 | <pre>(((property properties) adj path\$1)) and (component\$1 bean\$1)</pre> | USPAT; US-PGPUB; | 16:35 |
| | | (Componency Deany) | EPO; JPO; | 10.33 |
| | | • | DERWENT; | |
| İ | | | IBM TDB | |
| I _ | 34 | (((((property properties) adj path\$1)) | USPAT; | 2004/09/16 |
| |] | and (component\$1 bean\$1)) and (GUI\$1 | US-PGPUB; | 16:39 |
| | | (user adj interface\$1)) and element\$1) | EPO; JPO; | 10.39 |
| | | and (map\$4 bind\$3) | DERWENT; | |
| | 1 | and imapt a printal | IBM TDB | |
| _ | 3 | ((((property properties) adj path\$1)) and | USPAT; | 2004/09/16 |
| | | (component\$1 bean\$1)) and ((GUI\$1 (user | US-PGPUB; | 17:17 |
| | | adj interface\$1)) with element\$1) | EPO; JPO; | 17.17 |
| | | daj interiacevi,, with elementyi, | DERWENT; | |
| | | | IBM TDB | |
| _ | 42 | ((((property properties) adj path\$1)) and | USPAT; | 2004/09/16 |
| | | (component\$1 bean\$1)) and (GUI\$1 (user | US-PGPUB; | 16:42 |
| | | adj interface\$1)) and element\$1 | EPO; JPO; | |
| | | , , ,, | DERWENT; | |
| | | | IBM TDB | |
| - | 10 | (((property properties) adj path\$1) same | USPAT; | 2004/09/16 |
| | | (component\$1 bean\$1)) and (GUI\$1 (user | US-PGPUB; | 16:45 |
| | | adj interface\$1)) | EPO; JPO; | |
| | 1 | | DERWENT; | |
| | | | IBM_TDB | |
| - | 21 | ((property properties) adj path\$1) same | USPAT; | 2004/09/16 |
| | | (component\$1 bean\$1) | US-PGPUB; | 16:46 |
| | 1 | | EPO; JPO; | |
| | - | | DERWENT; | |
| | | | IBM_TDB | |
| - | 19765 | ((property properties object\$1) near3 | USPAT; | 2004/09/16 |
| | | path\$1) same (component\$1 object\$1) | US-PGPUB; | 17:16 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 0004465455 |
| - | 14577 | ((component property properties object\$1) | USPAT; | 2004/09/16 |
| | | adj2 path\$1) same (component\$1 object\$1) | US-PGPUB; | 17:17 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 0054 | | IBM_TDB | 2004/62/26 |
| - | 8054 | ((component property properties object\$1) | USPAT; | 2004/09/16 |
| | 1 | adj2 path\$1) same (component\$1 bean\$1) | US-PGPUB; | 17:17 |
| | 1 | | EPO; JPO; | |
| | 1 | | DERWENT; | |
| 1_ | 45 | ///component property properties | IBM_TDB | 2004/00/16 |
| - | 45 | (((component property properties | USPAT; | 2004/09/16 |
| | 1 | object\$1) adj2 path\$1) same (component\$1 | US-PGPUB; | 17:26 |
| | 1 | bean\$1)) and ((GUI\$1 (user adj interface\$1)) with element\$1) | EPO; JPO; DERWENT; | |
| | 1 | turetrace31)) with element31) | | |
| L | 1 | | IBM_TDB | |

| | | | γ | |
|------------|-------------|--|---------------------|------------|
| - | 214290 | ((application\$1 program\$1) with | USPAT; | 2004/09/16 |
| | | (component\$1 bean\$1)) | US-PGPUB; | 17:26 |
| | | | EPO; JPO; | i |
| | | | DERWENT; | |
| | 3027 | (((application\$1 program\$1) with | IBM_TDB | 2004/09/16 |
| _ | 3027 | ((applications) programs) with (component\$1 bean\$1))) and ((GUI\$1 (user | USPAT; US-PGPUB; | 17:27 |
| | | adj interface\$1)) with element\$1) | EPO; JPO; | 17:27. |
| | | adj Interlace(1) with element(1) | DERWENT; | |
| | | | IBM TDB | |
| 1_ | 347 | ((((application\$1 program\$1) with | USPAT; | 2004/09/16 |
| |] 34, | (component\$1 bean\$1))) and ((GUI\$1 (user | US-PGPUB; | 17:27 |
| | | adj interface\$1)) with element\$1)) and | EPO; JPO; | 17.27 |
| | | ((component\$1 bean\$1) near5 (property | DERWENT; | |
| | | properties)) | IBM TDB | |
| l <u>-</u> | 257 | (((((application\$1 program\$1) with | USPAT; | 2004/09/16 |
| | | (component\$1 bean\$1)) and ((GUI\$1 (user | US-PGPUB; | 17:28 |
| | | adj interface\$1)) with element\$1)) and | EPO; JPO; | 17.20 |
| | | ((component\$1 bean\$1) near5 (property | DERWENT; | ļ |
| | | properties))) and (map\$4 bind\$3) | IBM TDB | |
| _ | 23 | (((((application\$1 program\$1) with | USPAT; | 2004/09/16 |
| | | (component\$1 bean\$1))) and ((GUI\$1 (user | US-PGPUB; | 17:28 |
| | | adj interface\$1)) with element\$1)) and | EPO; JPO; | |
| | | ((component\$1 bean\$1) near5 (property | DERWENT; | |
| | | properties))) and ((map\$4 bind\$3) same | IBM TDB | |
| | | path\$1) | | |
| _ | 180 | 719/310,312-316,318-320,328,330.ccls. and | USPAT; | 2004/09/17 |
| | | ((object\$1 component\$1 property | US-PGPUB; | 10:06 |
| | | properties) near3 path\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 8 | (719/310,312-316,318-320,328,330.ccls. | USPAT; | 2004/09/17 |
| | | and ((object\$1 component\$1 property | US-PGPUB; | 10:24 |
| | | properties bean\$1) near3 path\$1)) and | EPO; JPO; | |
| | | ((GUI\$1 (user adj interface\$1)) with | DERWENT; | |
| | | element\$1) same (component\$1 object\$1 | IBM TDB | |
| | | property properties bean\$1) | | |
| - | 12 | (719/310,312-316,318-320,328,330.ccls. | USPAT; | 2004/09/17 |
| | | and ((object\$1 component\$1 property | US-PGPUB; | 10:13 |
| | | properties bean\$1) near3 path\$1)) and | EPO; JPO; | |
| | | ((GUI\$1 (user adj interface\$1)) with | DERWENT; | |
| 1 | | element\$1) | IBM_TDB | |
| - | 183 | 719/310,312-316,318-320,328,330.ccls. and | USPAT; | 2004/09/17 |
| | | ((object\$1 component\$1 property | US-PGPUB; | 10:23 |
| | | properties bean\$1) near3 path\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | | 245/4 | IBM_TDB | 0004/00/5= |
| - | 992 | | USPAT; | 2004/09/17 |
| | | property properties bean\$1) near3 path\$1) | US-PGPUB; | 10:24 |
| | | | EPO; JPO; | |
| | } | | DERWENT; | |
| 1. | F-1 | /245/6 mmlm and //abi | IBM_TDB | 2004/00/17 |
| _ | 51 | | USPAT; | 2004/09/17 |
| | | property properties bean\$1) near3 | US-PGPUB; | 10:24 |
| | | path\$1)) and ((GUI\$1 (user adj | EPO; JPO; | |
| | | interface\$1)) with element\$1) same | DERWENT; | |
| | | <pre>(component\$1 object\$1 property properties bean\$1)</pre> | IBM_TDB | |
| 1_ | 90 | 719/310,312-316,318-320,328,330.ccls. and | IICDATT. | 2004/00/21 |
| - | | | USPAT; | 2004/09/21 |
| | | (element\$1 with (GUI\$1 (user adj | US-PGPUB; | 15:44 |
| | | <pre>interface\$1)) with (component\$1 object\$1))</pre> | EPO; JPO; DERWENT; | |
| | | | 1 | |
| _ | 1 | (719/310,312-316,318-320,328,330.ccls. | IBM_TDB USPAT; | 2004/09/21 |
| | | and (element\$1 with (GUI\$1 (user ad) | US-PGPUB; | 15:45 |
| | | interface\$1)) with (component\$1 | EPO; JPO; | 13.43 |
| 1 | | object\$1))) and (re\$1map\$4 re\$1bind\$3) | DERWENT; | |
| | | orlessarily and (realmable realprings) | IBM TDB | |
| | | <u> </u> | 1 1011 100 | 1 |

| _ | 15 | (element\$1 with (GUI\$1 (user adj | USPAT; | 2004/09/21 |
|---|----|--|------------|------------|
| | | interface\$1)) with (component\$1 | US-PGPUB; | 15:57 |
| | | object\$1)) and ((component\$1 object\$1) | EPO; JPO; | |
| | | with (application\$1 server\$1)) and | DERWENT; | |
| | | ((component\$1 object\$1) near5 (property | IBM TDB | |
| | | <pre>properties)) and (re\$1map\$4 re\$1bind\$3)</pre> | | |
| - | 46 | (element\$1 with (GUI\$1 (user adj | USPAT; | 2004/09/21 |
| | | interface\$1)) with (component\$1 | US-PGPUB; | 15:59 |
| | | object\$1)) and ((component\$1 object\$1) | EPO; JPO; | |
| | | near5 (property properties)) and | DERWENT; | |
| | | (re\$1map\$4 re\$1bind\$3 (new adj2 map\$4) | IBM_TDB | |
| | | (new adj2 bind\$3)) | | |
| - | 2 | 6216237.pn. | USPAT; | 2004/09/22 |
| | | | US-PGPUB; | 12:54 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 1 | C452271 | IBM_TDB | 2004/00/00 |
| | | 6453371.pn. | USPAT; | 2004/09/22 |
| | | | US-PGPUB; | 13:22 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| L | L | | I DIA I DE | |